


STUDIO TABLE



Design	Christian Bjørn
Year	2013
Typology	Dining/Office Table
Collection	Signature
Origin	Lithuania
Material Base	Stainless steel, untreated
Material Top	Veneered Douglas Fir table top with solid edges

Product	Item No.	EAN code
Studio Table	6500	5712828065004

MAINTENANCE OF STUDIO TABLE

Some of the metals in the Frama collection are left untreated to allow for a natural patina to develop over time. See below to keep these beautiful signs of aging, or polish them away. All collection pieces are for indoor use.

CLEANING STAINLESS STEEL:

Stainless steel must be kept clean for a long material life.

For routine cleaning ph-neutral soap and water is sufficient applied with a sponge or cloth. This is likely to be needed only 1-2 times a year, as this material is quite resistant to oxidation and retention of residue

After cleaning the stainless steel should be washed thoroughly and dried with a soft cloth in the direction of the grain to prevent streaking.

CLEANING DOUGLAS FIR:

Daily cleaning is done with a soft cloth wrung out in clean water. Avoid using cleaners containing any type of chemicals on the furniture.

The drawers come with a finish that is oiled twice in a specific pigmented linseed oil. Regular maintenance of oiled wooden furniture is both easy and efficient for long term use. To achieve an optimal result we recommend oiling your product maximum once a year or when needed with Frama Studio Kitchen oil. For color and application advice concerning dents and oil, contact Frama.

TREATMENT:

1. Use a clean cloth dampened with warm water to clean.
2. Once the furniture is dry, apply oil to a clean soft cloth or sponge - do not pour the oil directly on the wood.
3. Rub the oil into the wood in the direction of the grain, treating the entire surface of the furniture piece.
4. Let the oil soak for about two hours, then remove any excess oil with a soft clean dry cloth.
5. Rub the surface with a clean soft cloth until a uniform surface is obtained, then let dry.

NOTE:

End grain (edges), should be treated extra frequently to avoid dryness and cracking in the dry season (winter). Irregular distribution of moisture in the wood can cause unnecessary cracks and gaps. To avoid this we recommend oiling both the top and underside of the furniture. To remove dust, salt and other deposits, rinse off with clean fresh water. Then use a clean, soft cloth to dry the piece.

Be aware that oily rags can ignite spontaneously. Rags and papers used in the oiling process will be flammable. Air dry after use.

FRAMA

Org. St. Pauls Apotek - Fredericiagade 57 - Copenhagen - Denmark